

# Gazette

No.TC 18/45, Wednesday, 21 November 2018 Published by the Commonwealth of Australia

**TARIFF CONCESSIONS** 

## **CONTENTS**

TCO Applications	2
TCOs Made	б
Local Manufacturer Initiated - TCO Revocation Requests	9
Intention to Revoke TCOs not used in over 2 years	11
Comptroller-General of Customs Initiated - Intention to Revoke Cancelled	15
TCOs Revoked - Unused for over 2 years	16
TCOs Revoked and Re-Issued - Classification Change	19
Comptroller-General of Customs Review of TCO Revocations Notification	20
Corrigenda	21

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the link below at: https://www.abf.gov.au/importing-exporting-and-manufacturing/domestic-manufacturing

> The Tariff Concessions Administration Section is located at 5 Constitution Ave Canberra City 2601

Contact details: **General Email** 

Inquiries:.....tarcon@homeaffairs.gov.au (02) 6229 3567 General Inquiries:

(02) 6275 6534 TAPIN help desk:

#### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

 ${\tt https://www.abf.gov.au/importing-exporting-and-manufacturing/domestic-manufacturing/tariff-concession-order}$ 

Contact: Email tarcon@homeaffairs.gov.au

	Description of Goods including the Customs Tariff Classification		Item Number Duty Rate
4811.90.90	PAPERBOARD, coated, including ALL of the following:  (a) dispersion barrier coating on one OR both sides;  (b) bleached chemical pulp outer plys;  (c) bleached chemi-thermomechanical pulp  Op. 29.10.18	- TC 18217552	50
	Stated Use: Manufacture of paperboard drinking cups, food trays and fast food packages		
	Applicant: SPICERS AUSTRALIA PTY LTD		5%
5911.90.10	WOVEN CLOTH, polypropylene AND/OR polyester AND/OR nylon, filtration, in rolls, having ANY of the following:  (a) monofilament AND/OR multifilament AND/OR staple yarns; (b) twill AND/OR satin AND/OR plain weave patterns; (c) heat set AND/OR calendered AND/OR singed finish; (d) width NOT greater than 3800 mm Op. 23.10.18	- TC 18214543	50
	Stated Use: For the further manufacture of filtration equipment, specifically for use in mines and mining equipment		
	Applicant: CLEAR EDGE FILTRATION (AUSTRALIA) PTY LTD		5%
8206.00.00	<pre>SETS, TIMING TOOLS, consisting of ALL of the following:   (a) hand tools;   (b) fittings;   (c) gauges;   (d) case</pre>		50
	Op. 23.10.18	- TC 18215277	
	Stated Use: Change timing chains or belts on vehicle engines		
	Applicant: TRIDON AUSTRALIA PTY LTD		5%

	of Goods including the f Classification		Item Number Duty Rate
8415.90.00	PARTS, MINING VEHICLE AIR CONDITIONER, being compressor AND condenser units, including ALL of the following:  (a) scroll compressor having an operating voltage NOT greater than 24 V DC;  (b) condenser;  (c) gas OR liquid refrigerant;  (d) operating cooling capacity NOT greater than 5 Kw  Op. 25.10.18	- TC 18216316	50
	Stated Use: As parts for air conditioning systems used on mobile, diesel, powered mining machines, such as trucks and loaders		
	Applicant: JOY GLOBAL AUSTRALIA PTY LTD		5%
8419.89.90	VACUUM COOLING CHAMBERS, BAKERY, including pumphouse, with OR without trays AND/OR bins AND/OR trolley racks Op. 25.10.18	- TC 18216311	50
	Stated Use: Reduction of temperature in bakery products after baking		
	Applicant: BOSCASTLE PASTRIES AND FOODS PTY LTD		5%
8428.90.00	GRABS, BULK MATERIAL HANDLING, with OR without remote controls, including one OR more of the following:  (a) plug connections; (b) hydraulic cylinders; (c) motors; (d) deck arrangement towers, including ALL of the following:  (i) cable drums; (ii) electric cables; (iii) control panels; (iv) switches; (v) cable guiding swivel rollers  Op. 24.10.18	- TC 18216032	50
	Stated Use: For grabbing scrap metal, during the loading and unloading of ships by crane		
	Applicant: LINX CARGO CARE PTY LTD		5%
8431.39.00	PARTS, COMPUTER MONITOR ARM ASSEMBLY, being ANY of the following:  (a) support poles; (b) wall mounts; (c) desk grommets; (d) dual monitor pieces; (e) swivel arms; (f) spring arms; (g) monitor arms; (h) stands AND/OR trays with OR without in-built fan; (i) monitor brackets Op. 25.10.18	- TC 18216314	50
	Stated Use: Parts of computer monitor assemblies which hold computer monitors at ergonomic positions		
	Applicant: GREGBAR OFFICE FURNITURE PTY LTD		5%

Description of Goods including the Customs Tariff Classification			Item Number Duty Rate
8438.40.00	YEAST PROPAGATION MACHINES, BREWERY, being BOTH of the following: (a) blender AND dosing units; (b) turbo air mixers Op. 16.10.18	- TC 18210936	50
	Stated Use: For secondary fermentation in a brewery		
	Applicant: COOPERS BREWERY LTD		5%
8438.50.00	CARCASS CLEANING LINE, program logic controlled, having ALL of the following:  (a) pre-washing machine; (b) wet whipper; (c) scalding cabinet with OR without head scalder; (d) de-hairing machine; (e) orientation unit; (f) dry whipper; (g) flame-off singer; (h) polishing machine; (i) central lubrication for conveyors; (j) elevators AND conveyors; (k) carcass chute with OR without lamella table		50
	Op. 25.10.18	- TC 18216710	
	Stated Use: Processing pigs carcasses before slaughter		5%
	Applicant: SWICKER'S KINGAROY BACON FACTORY PTY LTD		3 0
8441.80.10	LABEL CONVERTING MACHINES, having ALL of the following:  (a) varnish station; (b) die cutter; (c) slitter; (d) unwinder AND rewinder; (e) laminator; (f) UV unit; (g) gap setter; (h) touch screen controller; (i) infeed buffer Op. 02.11.18	- TC 18221377	50
	Stated Use:		
	Part of a label manufacturing plant to varnish, laminate, cut and rewind label in rolls		
	Applicant: MULTI-COLOR CORPORATION AUSTRALIA PTY LTD		5%
8464.10.00	<pre>SAWS, BRICK, having ALL of the following:   (a) electric motor;   (b) control panel;   (c) waste unit</pre>		50
	Op. 29.10.18  Stated Use:	- TC 18217979	
	To cut bricks		
	Applicant: PGH BRICKS & PAVERS PTY LTD		5%
8479.89.90	SORTERS, DETECTION AND EJECTION, infrared, whether OR not assembled, including graphic control panel Op. 29.10.18	- TC 18218314	50
	Stated Use: Detection and sorting of materials and objects in waste streams		
	Applicant: ADVANCED CIRCULAR POLYMERS PTY LTD		5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item General Duty	
8479.89.90	SORTERS, DETECTION AND EJECTION, SCAN CAMERA, whether OR not assembled, including graphic control panel Op. 29.10.18	- TC 18218317	50
	Stated Use: Detection and sorting of materials and objects in waste streams		
	Applicant: ADVANCED CIRCULAR POLYMERS PTY LTD		5%
8481.80.90	CIRCULATION TANK UNITS, including ALL of the following:  (a) pumps; (b) tank outlet fittings; (c) valves; (d) control heads; (e) level probes; (f) flow meter; (g) temperature sensors; (h) base frames; (i) pipes Op. 25.10.18	- TC 18216707	50
	Stated Use: For circulating fluids during the fermentation and storage of beverages in brew houses	10 10210707	
	Applicant: COOPERS BREWERY LTD		5%
8515.39.00	WELDING TORCHES AND/OR GUNS, being ANY of the following:  (a) flux cored;  (b) submerged arc;  (c) gas metal arc;  (d) tungsten inert gas (tig);  (e) carbon arc gouging;  (f) manual metal arc  Op. 31.10.18  Stated Use:	- TC 18219426	50
	In the welding industry in conjunction with welding machines		
	Applicant: WELDING GUNS OF AUSTRALIA PTY LTD		5%
8525.80.90	CAMERA, LICENCE PLATE RECOGNITION, with OR without EITHER of the following:  (a) processing unit; (b) brackets Op. 25.10.18  Stated Use: Automatic recognition of licence plates	- TC 18216708	50
	Applicant: HILLS LIMITED		3.75%
8716.90.00	PARTS, CARAVAN AND/OR RECREATIONAL VEHICLE, being water heater external access doors, including ALL of the following: (a) doors; (b) door frames; (c) vents; (d) door dimension NOT greater than of 380 mm x 380 mm Op. 31.10.18  Stated Use: In caravans and recreational vehicles to allow external access to and venting of the hot water system	- TC 18219339	50
	Applicant: COAST TO COAST		5%

### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

	of Goods including the Ef Classification		Schedule 4 : Last Date	Item Number of Effect
7210.49.00	having ALL of the following:  (a) yield strength NOT less to 560 MPa;  (b) tensile strength NOT less than 640 MPa;  (c) elongation NOT less than (d) total coating mass NOT le (e) total coated thickness NO (f) coil width NOT less than 1 400 mm;  (g) coated with a zinc-alumin composition by weight of:  (i) NOT less than 2%	ess than 150 g/m2; To less than 3.70 mm; 800 mm and NOT greater than  dium-magnesium alloy, having a  and NOT greater than 4% magnesium; and NOT greater than 5% aluminium; ainor additions;		50
8413.70.90	PUMP STATIONS, having ALL of th   (a) pumps;   (b) expansion tank;   (c) valves;   (d) heaters;   (e) pressure transmitters AND   (f) temperature sensors			50
	Op. 27.08.18	Dec. date 19.11.18	- TC 18182687	
8416.20.00	REGENERATIVE BURNERS, BIOGAS, i (a) burners; (b) gas supply valve trains; (c) burner control units; (d) exhaust valves Op. 28.08.18	ncluding ALL of the following:  Dec. date 13.11.18	- TC 18184508	50
8422.90.00	PARTS, TRAY SEALING MACHINES, b (a) sealing heads; (b) lifting plates; (c) pre-heating devices; (d) tray cutting groups Op. 23.08.18	peing ANY of the following:  Dec. date 13.11.18	- TC 18182064	50
8428.90.00	JIBS AND/OR EXTENSIONS, MOBILE Op. 27.08.18	CRANE Dec. date 19.11.18	- TC 18184382	50
8428.90.00	BY-PRODUCT RE-WORKING SYSTEM, i  (a) dust return system, inclu  (i) hopper;  (ii) drive having an o  (iii) pipes AND/OR tube  (b) silo;  (c) screw conveyor;  (d) hopper scale, including B  (i) weigher having a  than 350 litres;  (ii) pneumatic hammer  Op. 06.09.18	ding ALL of the following: output NOT greater than 2 kW; es, OOTH of the following:	- TC 18190826	50

	of Goods including the Ef Classification		Schedule 4 It Last Date o	
8430.41.00	SURFACE DRILL RIGS, down-the-hole ALL of the following: (a) diesel engine; (b) folding AND/OR fixed boom; (c) crawler tracks Op. 27.08.18	e type, hydraulic, including  Dec. date 19.11.18	- TC 18184499	50
8430.41.00	SURFACE DRILLING RIGS, top-hammer ALL of the following:  (a) hole drilling diameter NOT than 229 mm;  (b) diesel engines;  (c) crawler tracks AND/OR wheel Op. 28.08.18	less than 25 mm and NOT greater	- TC 18184503	50
8433.20.00	MOWERS, remote controlled, all te following: (a) 4 wheel hydrostatic drive; (b) petrol engine; (c) cutting width NOT less than 141 cm Op. 30.08.18	n 56 cm and NOT greater than	- TC 18185737	50
8438.20.00	CONFECTIONARY MIXING AND CRYSTALI logic controlled, including ALL of   (a) crystalliser;   (b) mixing vessels;   (c) pumps;   (d) piping;   (e) heat exchangers OR plates	of the following:	TG 10105730	50
8477.80.00	Op. 30.08.18  POLYVINYL CHLORIDE PROFILE EXTRUST the following:  (a) twin screw extruder; (b) dosing units; (c) single screw extruder; (d) calibration table; (e) embossing machine AND rolle; (f) haul off unit; (g) cut off saw; (h) dust collector; (i) siding profile moulds; (j) automated loading device Op. 21.08.18	SION LINE, including ALL of	- TC 18185739	50
8479.82.00	HYBRID STARCH KITCHENS, PAPERBOAR programmable logic controlled, ir  (a) mixing modules;  (b) tanks;  (c) agitators;  (d) inverters;  (e) load cells;  (f) piping AND hoses;  (g) pumps;  (h) silos;  (i) glue distribution module;  (j) liquid caustic soda module;  (k) viscosity detection AND cor  (l) liquid chemical addition module;  (m) remote control computer states.	ncluding ALL of the following:  trol module;  bdule;	- TC 18180216	50

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

8481.80.90	FLOW CONTROL VALVES, with OR without following:  (a) manual flow pre-set with indi (b) pressure rating of PN25; (c) flow coefficient exceeding 1. (d) flow verification test points (e) operating temperature range N greater than 120°C  Op. 30.08.18	cator; 6 kV fully opened;	- TC 18185318	50
	Op. 30.00.10	Dec. date 19.11.16	- 10 10105510	
8504.40.90	POWER CONVERSION AND DISTRIBUTION R ALL of the following: (a) converter; (b) transformer AND switchgear; (c) auxiliary power controller; (d) uninterrupted power supply; (e) ancillary transformer; (f) control AND data acquisition	module		50%
	Op. 20.08.18	Dec. date 13.11.18	- TC 18178376	
8504.40.90	INVERTERS, string, multiple phase, OR DC disconnector switch, having A (a) frequency NOT greater than 60 (b) maximum power point tracking (c) output current being ANY of t  (i) NOT less than 78 A and (ii) NOT less than 125 A and (d) wired AND/OR wireless communi Op. 29.08.18	LLL of the following:  Hz; systems NOT greater than 12; the following: NOT greater than 82 A; ad NOT greater than 140 A,	- TC 18184511	50%
8537.10.90	EXPLOSION DETECTION AND SUPPRESSION programmable logic controlled, with isolators, consisting of ALL of the (a) explosion detection sensors w flame detectors; (b) explosion suppressors; (c) explosion isolation valves; (d) control panel Op. 04.06.18	OR without electric current e following:	- TC 1863271	50
8704.23.00	TRUCKS, CAB CHASSIS, compression ig cab, having BOTH of the following:  (a) 4 x 4 wheel drive;  (b) gross vehicle weight NOT less greater than 22 tonnes	than 20 tonnes and NOT	TG 10176000	50
	Op. 16.08.18	Dec. date 13.11.18	- TC 18176809	
9508.90.00	STRUCTURES, DOME SCREEN, SIMULATOR Op. 24.08.18	RIDE, aluminium AND/OR steel Dec. date 19.11.18	- TC 18182067	50
9508.90.00	RIDES, THEATRE, having ALL of the f (a) NOT greater than 8 single sea (b) stage; (c) screen; (d) length NOT greater than 6.7 m (e) width NOT greater than 6.1 m; (f) height NOT greater than 4.25 Op. 27.08.18	uts;	- TC 18182832	50

### NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

	of Goods including the ff Classification			Schedule 4 I Lodgement Re	
3808.93.90	HERBICIDE, having an active ingredie Op. 27.07.18	ent of glufosinate-ammonium ec. date 19.10.18	- TC	18165229	50 15.11.18
4802.55.10	PAPER, woodfree, uncoated, exceeding 150 gsm Op. 09.02.16 D	g 125 gsm and NOT exceeding ec. date 11.04.16	- TC	1606692	50 09.11.18
4802.55.90	PRINTING PAPER, uncoated, in rolls,  (a) weight NOT less than 40 gsm ar  (b) opacity NOT less than 79%;  (c) CIE whiteness NOT greater than	nd NOT greater than 50 gsm;	ma.	1026024	50 09.11.18
	Op. 09.06.10	ec. date 30.08.10	- TC	1026024	
4802.55.90	PAPER, woodfree, uncoated, exceeding 150 gsm Op. 09.02.16	g 125 gsm and NOT exceeding	- TC	1606699	50 09.11.18
4802.55.90	PRINTING PAPER, uncoated, wood free, colour, having ALL of the following:  (a) weight NOT less than 40gsm and (b) an opacity exceeding 84% (Eler	, in rolls, white OR cream in : d NOT greater than 45gsm;		0107618	50 09.11.18
	*			0107010	
4802.56.10	PAPER, woodfree, uncoated, exceeding 150 gsm Op. 09.02.16	g 125 gsm and NOT exceeding	- TC	1606701	50 09.11.18
4802.56.90	PAPER, woodfree, uncoated, exceeding 150 gsm	g 125 gsm and NOT exceeding			50 09.11.18
	Op. 09.02.16	ec. date 11.04.16	- TC	1606702	
4804.29.00	SACK KRAFT PAPER, semi-extensible, be following:  (a) weight NOT less than 70 gsm ar  (b) stretch at break NOT less than	nd NOT greater than 90 gsm;			50 09.11.18
	Op. 14.01.09	ec. date 14.04.09	- TC	0900763	
4804.31.00	SATURATING KRAFT PAPER, unbleached, ALL of the following:  (a) 2 min Klemm absorption NOT les (b) the following measured by the  (i) grammage not exceeding  (ii) ash content 0.2-2.0%;  (iii) hot extract pH 6-8%;  (iv) air resistance 0.5-20 s/1	ss than 10 mm; TAPPI test method: g 100g/sqm;			50 09.11.18
		ec. date 19.03.10	- TC	1013565	
4804.31.00	PAPER, KRAFT, brown, unbleached, in greater than 30 grams per square met Op. 03.09.13		- TC	1329749	50 09.11.18

_	of Goods including the ff Classification			Item Number Request Date
4804.31.00	· · · · · ·	rams per square metre; r paper, on both sides, complying n of the Pulp and Paper Industry	- TC 1329750	50 09.11.18
4804.39.00	PAPER, WAXING KRAFT, having ALL  (a) weight NOT less than 22 gs (b) coloured;  (c) tensile strength NOT less direction and 0.8 kN/m tra Op. 26.05.11	sm and NOT greater than 24 gsm; than 1.3 kN/m in machine	- TC 1116834	50 09.11.18
4804.39.00	PAPER, KRAFT, bleached, in rolls than 30 gsm Op. 26.04.12	s, having a weight NOT greater  Dec. date 09.07.12	- TC 1213438	50 09.11.18
4804.39.00	KRAFT PAPER, stretchable, bleach than 100 gsm and NOT greater that Op. 25.07.14		- TC 1425676	50 09.11.18
4804.39.00	SATURATING BASE PAPER, white or Op. 06.03.98	artificially coloured Dec. date 29.05.98	- TC 9802048	50 09.11.18

#### TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 20 December 2018, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 20 December 2018.

Interested parties are invited to provide, by close of business, Wednesday 19 December 2018, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Tariff Classification	Description		Concession Number
3924.10.00	having ALL of the fo  (a) zippered open  (b) width NOT grea  (c) height NOT grea  (d) temperature sta	AND closure; ter than 20 cm;	38
	Op. 13.01.12	Dec. date 12.04.12	- TC 1201502
3924.10.00	SETS, TABLEWARE AND/offollowing: (a) tongs; (b) whisk; (c) scraper	OR KITCHENWARE, consisting of AL	L of the
	Op. 02.04.12	Dec. date 20.06.12	- TC 1210757
3926.90.90	PLUGS, ABATTOIR ANIM	AL OESOPHAGUS, plastic	
	Op. 23.01.12	Dec. date 02.04.12	- TC 1202646
4202.92.90	BAGS, silicon coated (a) weight NOT exc. (b) pack away pock. (c) drawstring ope: (d) carry strap	et;	following:
	Op. 29.11.11	Dec. date 13.02.12	- TC 1139631
4202.99.00		ic, incorporating inner cellular ner AND/OR figurine holding comp	
	Op. 10.04.12	Dec. date 25.06.12	- TC 1211480
5911.32.00	FELTS, FIBRE CEMENT	MAKING, polyamide	
	Op. 07.06.12	Dec. date 03.09.12	- TC 1219533

```
7323.93.00
              SMOKER BOXES, BBQ, stainless steel, having ALL of the following:
               (a) slotted top;
                (b) length NOT greater than 20 cm;
                (c) height NOT greater than 3 cm
                                           Dec. date 22.03.12
                                                                           - TC 1142588
8410.90.00
              PARTS, TURBINE DRILL, HYDRAULIC, being ANY of the following:
                (a) setting plates;
                (b) spacers;
                (c) adjustable filler rings;
                (d) adjusting plates;
                (e) fixed discs;
(f) integrated frames;
                (g) moving discs;
                (h) balance drums;
                (i) balance drum end caps;
                (j) balance housings;
                (k) balanced bush spacers;
                (1) wear sleeves;
                (m) bent bodies;
                (n) bent housings;
                (o) bit box breaker plates;
                (p) bit box gripping tools;
                (q) bit box stabilizers;
                (r) turbine bodies;
                (s) body compression sleeves;
                (t) body extension subs;
                (u) body top sleeves;
                (v) body top subs;
                (w) bottom bearing stabilizers;
                (x) caps;
                (y) cap stops;
                (z) circulating subs;
               (aa) circulating sub sleeves;
               (ab) compression sleeves;
               (ac) connecting sleeves;
               (ad) coupling protectors;
               (ae) coupling flow dispatchers;
               (af) crossovers;
               (ag) crossover bodies;
               (ah) crossover subs;
               (ai) dropping balls;
               (aj) end caps;
               (ak) erosion plates;
               (al) filler rings;
               (am) filler ring adjustables;
               (an) fixed disc ends;
               (ao) fixed disc keys;
               (ap) fixed end discs;
               (aq) flexible shafts;
               (ar) flexible shaft couplings;
               (as) flow guides;
               (at) intermediate bearing fixed disc ends;
               (au) intermediate stabilizers;
               (av) jacking rings;
               (aw) clamping keys;
               (ax) key upper shafts;
               (ay) lantern rings;
               (az) locking balls;
               (ba) lower bodies;
               (bb) lower adjustable bent housings;
               (bc) lower bearing stabilizer bodies;
               (bd) lower shafts;
               (be) makeup spacers;
               (bf) male coupling protectors;
               (bg) male shaft couplings;
               (bh) mandrel stabilizers;
               (bi) rotors;
               (bj) stators;
               (bk) near bit stabilizers;
               (bl) fixed frames;
               (bm) flow guides;
               (bn) integrated frames;
               (bo) protectors;
               (bp) removable intermediate bearing rubbers;
```

(Continued on next page)

(Continued from previous page)

```
(bq) removable stabilizer bearing housings;
              (br) restriction sleeves;
              (bs) rotor labyrinth housings;
              (bt) rotor compression sleeves;
              (bu) rubberized fixed discs;
              (bv) shaft compression sleeves;
              (bw) shafts;
              (bx) shaft couplings;
              (by) shaft extensions;
              (bz) shaft thrust sleeves;
              (ca) sleeve type stabilizers;
              (cb) stator compression sleeves;
              (cc) stator labyrinths;
              (cd) stator spacers;
              (ce) straight housings;
              (cf) thrust sleeves;
              (cg) top sleeves;
              (ch) top subs;
              (ci) turbine shafts
                                         Dec. date 06.07.12
             Op. 07.02.08
                                                                       - TC 1218586
8414.90.90
             ASSEMBLIES, COMBUSTION AIR FAN, including ALL of the following:
               (a) impellers;
               (b) shafts;
               (c) couplings
             Op. 29.11.11
                                         Dec. date 13.02.12
                                                                       - TC 1139716
8418.69.00
             DISPENSING MACHINES, CAN AND BOTTLE, refrigerated
             Op. 01.12.11
                                         Dec. date 13.02.12
                                                                       - TC 1140118
8425.39.00
             WINCHES, hydraulic, steel housing, including ALL of the
             following:
               (a) diesel engine;
               (b) tension control valve;
               (c) double drum winch
                                                                      - TC 1211851
                                         Dec. date 02.07.12
             Op. 12.04.12
8428.33.00
             BELT CONVEYORS, POLYURETHANE FOAM CUTTING LINE
             Op. 27.04.12
                                         Dec. date 16.07.12
                                                                       - TC 1213632
             KITS, HOOK AND LINE RIGGING, including NOT less than ANY 7 of
8428.90.00
             the following:
               (a) hooks;
               (b) pulling handles;
               (c) karabiners;
               (d) suction pads;
               (e) pliers;
               (f) ropes;
               (g) pouches;
               (h) pitons
             Op. 19.12.11
                                         Dec. date 19.03.12
                                                                       - TC 1141968
             FIBRE CEMENT PANEL SORTING AND STACKING LINE, having ALL of the
8428.90.00
             following:
               (a) feeder;
               (c) handling capacity NOT greater than 12 pieces per minute
                                         Dec. date 02.04.12
             Op. 13.01.12
                                                                      - TC 1201550
8428.90.00
             SORTING BOXES, TIMBER BOARD SIZE
                                         Dec. date 04.06.12
                                                                       - TC 1208360
             Op. 13.03.12
```

8477.80.00 POLYSTYRENE INSULATION MANUFACTURNG LINE, including ALL of the following: (a) feeders; (b) extruders; (c) melt adaptors; (d) dosers; (e) mixers; (f) dies; (g) liquid heaters OR liquid coolers; (h) control station; (i) haul offs; (j) coolers; (k) pullers; (1) cutters; (m) conveyors; (n) millers; (o) stackers AND lifters Op. 05.06.12 Dec. date 03.09.12 - TC 1219070 8479.89.90 FOAMING MACHINES, stainless steel, programmable logic controlled, having ALL of the following: (a) centrifugal pumps; (b) NOT less than two mixing heads; (c) foam generation NOT less than 800 kg per hour and NOT greater than 6 000 kg per hour Op. 22.03.12 Dec. date 15.06.12 - TC 1209516 MOULDS, SINGLE AND TWIN SCREW INJECTION, robotic removal, having 8480.71.00 ALL of the following: (a) width NOT less than 2 200 mm; (b) height NOT less than 2 200 mm; (c) length NOT less than 1 675 mm; (d) weight NOT less than 65 t; (e) hydraulic angular lifters; (f) balanced hot runner system, cycle 120 seconds Op. 30.03.12 Dec. date 25.06.12 - TC 1210472 8481.80.90 VALVES, BUTTERFLY, polyethylene body, spigot ended, having a bore NOT less than 300 mm Op. 06.12.11 Dec. date 07.03.12 - TC 1140557 MASTER CONTROL MODULES, OIL AND GAS WELL, SURFACE AND/OR SUBSEA, 8537.10.90 being programmable logic controlled, with OR without uninterruptible power supply (UPS) Dec. date 16.04.12 Op. 25.01.12 - TC 1203002

#### CUSTOMS ACT 1901

#### CANCELLATION OF THE INTENTION TO REVOKE

The Request for revocation of the Tariff Concession Order for goods described in the following TABLE has been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification

8420.91.00 ROLLS, PRESS, PAPER AND PAPERBOARD MAKING MACHINE, ceramic covered
Op. 13.05.08 Dec. date 01.08.08 - TC 0807819

#### CUSTOMS ACT 1901

#### NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette 18/39 dated 10 October 2018.

Contact: Email <a href="mailto:tarcon@homeaffairs.gov.au">tarcon@homeaffairs.gov.au</a>

### BOLTS, hollow injection, of plastics Op. 01.02.08 Dec. date 11.04.08 - TC 0801919 06.11.18 2 Years non use. In transit provisions apply  7207.19.00 STEEL BLOOMS, ROUND, NON ALLOY Op. 02.11.07 Dec. date 30.01.08 - TC 0718813 06.11.18 07.00 2 Years non use. In transit provisions apply  7311.00.00 CYLINDERS, COMPRESSED AIR, 16 L, comprising ALL of the following: (a) valves: (b) pressure gauges: (c) valve hoses Op. 06.12.07 Dec. date 29.02.08 - TC 0720906 2 Years non use. In transit provisions apply  8417.90.00 PARTS, WALKING BEAM FURNACE, being EITHER of the following: (a) skid buttons; (b) end flats Op. 14.02.08 Dec. date 18.04.08 - TC 0802633 2 Years non use. In transit provisions apply  8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NoT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343  2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height: (b) locking casters; (c) adjustable display height: (b) locking casters; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.05.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DELLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit: (b) inclination adgamma ray seasors; (c) internal battery packs; (d) upper and lower rotary seals Op. 06.06.08 Dec. date 22.08.08 - TC 0811566		of Goods including the ff Classification		4 Item Number ate of Effect
Table   Steel Blooms, Round, Non Alloy   Dec. date 30.01.08   TC 0718813   O6.11.18	3926.90.90		- TC 0801919	
Op. 02.11.07 Dec. date 30.01.08 - TC 0718813 06.11.18 2 Years non use. In transit provisions apply  7311.00.00 CYLINDERS, COMPRESSED AIR, 16 L, comprising ALL of the following: (a) valves; (b) pressure gauges; (c) valve hoses Op. 06.12.07 Dec. date 29.02.08 - TC 0720906 2 Years non use. In transit provisions apply  8417.90.00 PARTS, WALKING BEAM FURNACE, being EITHER of the following: (a) skid buttons; (b) end flats Op. 14.02.08 Dec. date 18.04.08 - TC 0802633 2 Years non use. In transit provisions apply  8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NOT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343 2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CFU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) duper and lower rotary seals		2 Years non use. In transit provisions apply		
7311.00.00 CYLINDERS, COMPRESSED AIR, 16 L, comprising ALL of the following: (a) valves; (b) pressure gauges; (c) valve hoses Op. 06.12.07 Dec. date 29.02.08 - TC 0720906 2 Years non use. In transit provisions apply  8417.90.00 PARTS, WALKING BEAM FURNACE, being EITHER of the following: (a) skid buttons; (b) end flats Op. 14.02.08 Dec. date 18.04.08 - TC 0802633 2 Years non use. In transit provisions apply  8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NOT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343 2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714 2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals	7207.19.00		- TC 0718813	
(a) valves; (b) pressure gauges; (c) valve hoses Op. 06.12.07 Dec. date 29.02.08 - TC 0720906  2 Years non use. In transit provisions apply  8417.90.00 PARTS, NALKING BEAM FURNACE, being EITHER of the following: (a) skid buttons; (b) end flats Op. 14.02.08 Dec. date 18.04.08 - TC 0802633  2 Years non use. In transit provisions apply  8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NOT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343  2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals		2 Years non use. In transit provisions apply		
Op. 06.12.07 Dec. date 29.02.08 - TC 0720906  2 Years non use. In transit provisions apply  8417.90.00 PARTS, WALKING BEAM FURNACE, being EITHER of the following: (a) skid buttons; (b) end flats Op. 14.02.08 Dec. date 18.04.08 - TC 0802633  2 Years non use. In transit provisions apply  8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NOT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343  2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals	7311.00.00	<ul><li>(a) valves;</li><li>(b) pressure gauges;</li></ul>		
8417.90.00 PARTS, WALKING BEAM FURNACE, being EITHER of the following: (a) skid buttons; (b) end flats Op. 14.02.08 Dec. date 18.04.08 - TC 0802633  2 Years non use. In transit provisions apply  8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NOT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343  2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals		• •	- TC 0720906	
(a) skid buttons; (b) end flats Op. 14.02.08 Dec. date 18.04.08 - TC 0802633  2 Years non use. In transit provisions apply  8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NOT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343  2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714 2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals		2 Years non use. In transit provisions apply		
Op. 14.02.08 Dec. date 18.04.08 - TC 0802633  2 Years non use. In transit provisions apply  8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NOT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343  2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals	8417.90.00	(a) skid buttons;		
8419.89.90 KILNS AND STEAM CONDITIONERS, THERMAL TREATMENT, HULLED OATS, having a processing capacity NOT less than 5 tonnes per hour op. 12.10.07 Dec. date 31.01.08 - TC 0717343  2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals			- TC 0802633	
having a processing capacity NOT less than 5 tonnes per hour Op. 12.10.07 Dec. date 31.01.08 - TC 0717343  2 Years non use. In transit provisions apply  8428.90.00 CARTS, mobile, with or without power supply, having all of the following: (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals		2 Years non use. In transit provisions apply		
8428.90.00 CARTS, mobile, with or without power supply, having all of the following:  (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals	8419.89.90	having a processing capacity NOT less than 5 tonnes per hour	- TC 0717343	
following:  (a) adjustable display height; (b) locking casters; (c) adjustable mounting fixtures; (d) Central Processing Unit (CPU) holder and locking mechanism Op. 06.06.08  Dec. date 22.08.08  - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00  PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals		2 Years non use. In transit provisions apply		
Op. 06.06.08 Dec. date 22.08.08 - TC 0811714  2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following:  (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals	8428.90.00	<pre>following:   (a) adjustable display height;   (b) locking casters;   (c) adjustable mounting fixtures;</pre>		
2 Years non use. In transit provisions apply  8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals			- TC 081171 <i>4</i>	
8431.43.00 PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following: (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs; (d) upper and lower rotary seals			- 10 0011/14	
Op. 06.06.08 Dec. date 22.08.08 - TC 0811566	8431.43.00	PARTS, ROTARY STEERING DIRECTIONAL DRILLING TOOL, being interconnecting assemblies comprising ALL of the following:  (a) computer controlled bias unit; (b) inclination and gamma ray sensors; (c) internal battery packs;		
		Op. 06.06.08 Dec. date 22.08.08	- TC 0811566	

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect		
8438.50.00	MEAT SALTING MACHINES Op. 08.11.07	Dec. date 29.01.08	- TC 0718940	50 06.11.18
	2 Years non use. In transit p	provisions apply		
8467.29.00	<pre>KITS, POWER TOOL, comprising   (a) sanding plates;   (b) sanding sheets;   (c) stopping knives;   (d) saw blades;   (e) power tools</pre>	ALL of the following:		50 06.11.18
	Op. 07.11.07	Dec. date 05.02.08	- TC 0801963	
	2 Years non use. In transit p	provisions apply		
8474.10.00	PLANT, MINERAL SEPARATION, co (a) separators; (b) scrubbers; (c) re-heaters; (d) filters; (e) conductor magnetic bins (f) elevators; (g) pumps; (h) pipelines; (i) conveyors; (j) screens;	emprising ALL of the following:		50 06.11.18
	(k) valves Op. 20.05.08	Dec. date 18.08.08	- TC 0808970	
	2 Years non use. In transit p			
8474.31.00	CEMENTER, skid mounted, havin (a) silos; (b) NOT less than two tripl (c) mixing capacity NOT les per minute; (d) densitomers;	ex pumps;		50 06.11.18
	(e) diesel engines Op. 28.09.07	Dec. date 14.12.07	- TC 0716474	
	2 Years non use. In transit p	provisions apply		
8474.39.00	_	ounted, with or without feeders,  Dec. date 04.08.08	- TC 0808248	50 06.11.18
	2 Years non use. In transit p	provisions apply		
8475.29.00	<ul><li>(a) batch processors;</li><li>(b) melting furnaces;</li><li>(c) float glass forming cha</li><li>(d) annealing lehrs;</li><li>(e) cold glass processors;</li><li>(f) glass handlers;</li></ul>	comprising ALL of the following:		50 06.11.18
	(g) cullet modules Op. 10.10.07	Dec. date 30.01.08	- TC 0717256	
	2 Years non use. In transit p	provisions apply		
8479.82.00	MILLS, HAMMER, PLANT AND/OR F	FOOD AND/OR CHEMICAL, vibrating		50
	screen Op. 16.04.08	Dec. date 04.07.08	- TC 0804329	06.11.18
	2 Years non use. In transit p			
	2 rears non asc. in cransic p			

Description of Goods including the Customs Tariff Classification				Schedule 4 Item Number Last Date of Effect	
8479.89.90	LOADERS, DESICCANT Op. 10.10.07	Dec. date 21.12.07	- TC	0717100	50 06.11.18
	2 Years non use. In transit provisions apply				
8481.30.00	·	,			50 06.11.18
	Op. 09.04.08	Dec. date 04.07.08	- TC	0802897	
	2 Years non use. In transit provis	sions apply			
8481.80.90	Y-TOOLS, DOWNHOLE Op. 23.01.08	Dec. date 04.04.08	- TC	0801271	50 06.11.18
	2 Years non use. In transit provisions apply				
8544.20.00	CABLES, COAXIAL, DOWNHOLE, electric and telemetric, insulated, armoured, having ALL of the following:  (a) temperature rating NOT less than 125 degrees Celsius and NOT greater than 230 degrees Celsius;  (b) breaking strength NOT less than 26 kN and NOT greater than 87 kN;  (c) metal tubes			50 06.11.18	
	Op. 06.03.08	Dec. date 09.05.08	- TC	0803794	
	2 Years non use. In transit provisions apply				

#### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)

## TARIFF CONCESSION ORDER REVOKED AND A NEW TARIFF CONCESSION ORDER MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.

A Tariff Concession Order for the goods described in the following TABLE has been revoked and a new Tariff Concession Order made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect		
TCO REVOKED				
3808.91.90	INSECTICIDE, having a basis of chlorpyrifos			50
	Op. 04.07.18	Dec. date 24.09.18	- TC 18152829	03.07.18
	Order revoked see TC 18225102 keyed to 3808.99.00			
TCO REISSUED				
3808.99.00	INSECTICIDE, having a basi	s of chlorpyrifos		50
	Op. 04.07.18	Dec. date 19.11.18	- TC 18225102	

#### CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF A TARIFF CONCESSION REVOCATION DECISION

Requests have been received for review by the Department of Home Affairs of the decisions made on the requests for revocation of a Tariff Concession Order for goods described in the following TABLE.

Description of Goods including the Customs Tariff Classification		4 Item Number ate of Effect	
3920.51.00 SHEETS, ACOUSTIC BARRIERS, cast, policy having ALL of the following:  (a) fire resistance in accordance Standard EN 1794-2 (EN 1794-2)  (b) sound insulation in accordance Standard EN 1793-1 (EN 1793-2)  (c) wind load resistance in accordance Standard EN 1794-1 (EN 1794-2)  (d) stone impact resistance in accordance Standard EN 1794-1 (EN 1794-2)  (e) falling debris resistance in European Standard EN 1794-2  (f) thickness NOT less than 15 mm 25 mm  Op. 08.05.13	e with European  ();  the with European  () AND EN 1793-2;  Idance with European  ();  Idance with European  ();  Idance with European  ();  Idance with European  ();  Idance with European  (EN 1794-2);	50 24.09.18	REVOKED
3920.51.00 SHEETS, cast acrylic, having a thic OR greater than 20 mm Op. 16.12.13	ekness less than 15 mm, - TC 1341310	50 24.09.18	REVOKED

#### CORRIGENDA

The TCO below has been republished to amend incorrect information originally published in the Tariff Concession Gazette TC 18/44 of 14 November 2018. The operative date of this TCO, if made, remains unaffected.

#### THE TABLE

Description of Goods including the Customs Tariff Classification

RUBBER, in rolls AND/OR sheets, having ANY of the following:

(a) polyurethane binder;
(b) cork
Op. 18.10.18

Stated Use:
Acoustic underlay for timber floors

Applicant: DAMTEC AUSTRALASIA PTY LTD

Schedule 4 Item Number

Schedule 4 Item Number

50

- TC 18213842

58